

Intercomparison of operational wave forecasting systems against
in-situ observations: data from BoM, DMI, DWD, ECCC,
ECMWF, JMA, KMA, LOPS, METEOAM, METFR, METNO,
NCEP, NIWA, PRTOS, SHNSM, UKMO.





00 UTC runs only

WMO Lead Centre for Wave Forecast Verification LC-WFV,
European Centre for Medium-Range Weather Forecasts ECMWF

December 13, 2021





PART III: 10 meter wind speed (10ff)

Buoys observations - from 20210901 to 20211130 - (10ff)




Northern Hemisphere. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)




Tropics. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).


Buoys observations - from 20210901 to 20211130 - (10ff)




10m wind speed
Scatter index
Europe (lat: 35.0 to 75.0, lon: -12.5 to 42.5)
Date: 20210901 00UTC to 20211130 00UTC
Average for every grid (0UTC). Mean method for



10m wind speed
Root mean square error
Europe (lat: 35.0 to 75.0, lon: -12.5 to 42.5)
Date: 20210901 00UTC to 20211130 00UTC
Average for every grid (0UTC). Mean method for




10m wind speed
Mean error
Europe (lat: 35.0 to 75.0, lon: -12.5 to 42.5)
Date: 20210901 00UTC to 20211130 00UTC
Average for every grid (0UTC). Mean method for





Europe. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)







Mediterranean Sea. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)







North Sea. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)




South West Europe. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)





North East Atlantic. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)







North West Atlantic. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)







North East Pacific. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)





North West Pacific. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)




Indian Ocean. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)




Gulf of Mexico. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)




Hawaii. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).


Buoys observations - from 20210901 to 20211130 - (10ff)




10m wind speed
Scatter index
S America (south) (lat: 57.5 to 12.5, lon: -80.0 to -42.5)
Date: 20210901 00UTC to 20211130 00UTC
Average for every grid (0.5°). Mean method: lat.



10m wind speed
Root mean square error
S America (south) (lat: 57.5 to 12.5, lon: -80.0 to -42.5)
Date: 20210901 00UTC to 20211130 00UTC
Average for every grid (0.5°). Mean method: lat.







10m wind speed
Mean error
S America (south) (lat: 57.5 to 12.5, lon: -80.0 to -42.5)
Date: 20210901 00UTC to 20211130 00UTC
Average for every grid (0.5°). Mean method: lat.







South of South America. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)



East Australia - New Zealand. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).

Buoys observations - from 20210901 to 20211130 - (10ff)



South South West Australia. Top panel: observation distribution. Middle left panel: Forecast scatter index (standard deviation of the difference normalised by the mean of the observations). Middle right panel: Forecast root mean square error (RMSE). Bottom panel: forecast mean error (bias).