

Implementation of IFS changes (28 Nov 1995)

Description of the upgrade

A revised form of the continuity equation was implemented in the forecast model, resulting in a reduction of noise in all lower tropospheric fields previously experienced near mountains. In particular, the fields of mean sea level pressure, geopotential height and temperature are smoother, and the near surface wind is better represented.



Implemented: 28 November 1995

Contents of this page

- [Description of the upgrade](#)

Related links

- [All forecast scorecards](#)
- [Forecast User Guide](#)
- [All IFS Documentation](#)

All IFS cycles

- [Terminology for IFS testing](#)
- [Implementation of IFS Cycle 49r1](#)
- [Implementation of IFS Cycle 48r1](#)
- [Implementation of IFS Cycle 47r3](#)
- [Implementation of IFS Cycle 47r2](#)
- [Implementation of IFS Cycle 47r1](#)
- [Implementation of IFS cycle 46r1](#)
- [Implementation of IFS cycle 45r1](#)
- [Implementation of Seasonal Forecast SEAS5](#)
- [Implementation of IFS cycle 43r3](#)
- [Implementation of IFS Cycle 43r1](#)
- [Implementation of IFS cycle 41r2](#)
- [Introducing the octahedral reduced Gaussian grid](#)
- [Horizontal resolution increase](#)
- [Boundary-Condition Programme ENS at 06 and 18 UTC](#)
- [Implementation of IFS Cycle 41r1](#)
- [IFS cycle upgrades pre 2015](#)