

How to run Held-Suarez test case

Introduction

The Held-Suarez test case is a well known benchmark for evaluating the dynamical cores of atmospheric models (see references at end). It uses a flat earth with simple Newtonian relaxation of the temperature field to a zonally symmetric state and Rayleigh damping of the low-level winds to represent boundary-layer friction.

The text below explains how to initialize OpenIFS for this idealized case. It assumes the model will be spun up from rest.

Model Physics

The physics in the IFS model is approximated to an idealized relaxation towards a radiative-convective equilibrium profile.

Radiation and Convection are parameterized as :

$$\nabla \cdot \mathbf{Q} = -k(T - T_{eq})$$

where \mathbf{Q} is the heating/cooling and k is the relaxation coefficient towards Radiative-Convective equilibrium (Held and Suarez, 1994; Wedi and Smolarkiewicz, 2009).

Configuration

The changes to the OpenIFS namelist and source code to run the model are as follows:

Changes to the Namelist variables:

It is important to correctly set the NAMELIST to configure the Held-Suarez testcase. The variables shown below need to be changed from normal forecast settings.

| Switch off the IFS physics |
|---|
| <pre>&NAEPHY LEPHYS=false, ! turns off all physics LERADI=false, ! ..and radiation</pre> |
| Change output namelist |
| <pre>&NAMFPC NFP3DFT=0, ! No surface fields in post-processing ! remove 133 from MFP3DF and MFP3DFP NFP3DFT=0, NFP3DFV=0,</pre> |

Activate Held-Suarez testcase


Namelists

To activate, change these variables in the model dynamical core and control setup namelists:

On this page...


- [Introduction](#)
- [Model Physics](#)
- [Configuration](#)
 - [Changes to the Namelist variables:](#)
- [Activate Held-Suarez testcase](#)
 - [Namelists](#)
 - [Changes to code](#)
- [Initial conditions](#)
- [References](#)

Example plots



Zonal mean wind field from a 1500 day long model run for the Held-Suarez testcase.

The model fields are averaged for the last 1000 days. The model was run at T159 spectral resolution.



Zonal mean temperature field from a 1500 day long model run for the Held-Suarez testcase. The model fields are averaged for the last 1000 days. The model was run at T159 spectral resolution.

Dynamical core namelist

```
&NAMDYNCORE
  LDYNCORE=true,      ! the initial prognostic fields are set up in
suspecg2
  LHELDSUAREZ=true,   ! the idealized simplified Held-Suarez physics
will be called under ec_phys_drv
  NTESTCASE=15,       ! flat orog, uniform surface pressure and no wind;
or anything large enough
                        ! in order to go to the "else" case in suspecg2.F90
  RU00_DYN=0.,        ! initial idealized zonal wind; no wind initially
  RT00_DYN=315.,      ! initial idealized temperature (K)
  RP00_DYN=100000.,   ! initial idealized pressure; uniform pressure
  NOISEVOR=1,         ! some noise to break the symmetry
```

NTESTCASE is used in `ifs/setup/suspecg2.F90` to essentially set the initial orography to zero and a constant surface pressure. A large value is selected to ensure the code goes into the ELSE clauses and avoids the other test cases. Other orography configurations are possible but the code must be checked as there is some interaction between the NTESTCASE and N3DINI variables.

Control namelist

```
&NAMCT0
  N3DINI=7,           ! thermal profile to start Held-Suarez case in
suspecg2
  NFRPOS = 1,         ! post-processing output frequency; set to every
timestep
  NPOSTS(0)=1,        ! number of outputs
  NPOSTS(1)= xxx,     ! the first output (array index '1') will be at time
step xxx,
                        ! to test you can try xxx= last time step of your
run (NSTOP)).
```



For more information on controlling the model output, see [How to control OpenIFS output](#)

Surface forcing

```
&NAMMCC
  LMCCEC = false,     ! turn off updating of the surface forcing
boundary conditions,
  LMCCIEC = false,    ! .. and their interpolation in time from the
climatology files

&NAMPHY
  LREASUR=false,      ! This may be needed to avoid reading surface
fields.
```

For more details about the action of these namelist variables, please see the namelist file in 'ifs/namelist' and it's corresponding module in 'ifs/module' (e.g. `ifs/namelist/namct0.nam.h` and `ifs/module/yomct0.F90`).

Changes to code



These changes relate to OpenIFS version 38r1. For later versions please check the code or contact openifs-support@ecmwf.int.

(a) Edit `ifs/setup/suphy.F90` and change line containing:

```
USE YOMDYNCORE, ONLY: LAQUA, LDYNCORE
```

to

```
USE YOMDYNCORE, ONLY: LAQUA, LDYNCORE, LHELDSUAREZ
```

and the line containing

```
LLDYN=LDYNCORE.AND.NOT.LAQUA
```

to

```
LLDYN=LDYNCORE.AND.NOT.(LAQUA.OR.LHELDSUAREZ)
```

to ensure that routine SUPHEC is called for the simplified Held-Suarez physics (this is a bug in OpenIFS 38r1).

(b) Check the code in **ifs/setup/suspecg2.F90** (under K3DINI=7 in suspecg2: line 1049 onwards) and edit if necessary. In some versions of OpenIFS, the temperature profile (under K3DINI=7 in suspecg2) is different from what was prescribed in the original paper (same profile as at pole everywhere). The code below is used to go back to the original profile. This corrects the initial fields:

```
ELSEIF ( K3DINI == 7 ) THEN

! code changes
  ZPRESHX(0)=YRVAB%VAH(0)+YRVAB%VBH(0)*ZVP00
  DO JLEV=NFLEVG,1,-1
    ZPRESHX(JLEV)=YRVAB%VAH(JLEV)+YRVAB%VBH(JLEV)*ZVP00
  ENDDO

  DO JLEV=1,NFLEVG
  DO JWORD=1,NGPTOT
    ZPRS = 0.5_JPRB * ( ZPRESHX(JLEV)+ZPRESHX(JLEV-1) )
    ZTLAT = 315._JPRB - RDELTA_T*SIN(GELAT(JWORD))**2
    ZTALT = RDELTA_THETA * LOG(ZPRS/ZVP00)*COS(GELAT(JWORD))**2
    ZT(JWORD,JLEV) = MAX ( 200._JPRB, (ZTLAT-ZTALT)*(ZPRS/ZVP00)**(RD
/RCPD) )
  ENDDO
  ENDDO
! end of code changes

  CALL REESPE(NFLEVL,NFLEVG,ZTEMP,ZT)
  WRITE (0,*) ' ROUTINE SUSPECG2, DYNAMICAL CORE' ,&
    &' TEMPERATURE SET TO ',ZTEMP(1,1),ZT(1,1),YRGSGEOM_NB%GEMU(1)

ELSE
```

where:

ifs/module/yomdyncore.F90

| | |
|--------------|---|
| RDELTA_T | - Held-Suarez test: pole - equator temperature difference |
| RDELTA_THETA | - Held-Suarez test: tropical heating differential |

Other parameters that change the Held-Suarez configuration are defined in yomdyncore.F90.

Initial conditions

You can use any initial files as initial conditions. The initial file in this case is only used to set the model's horizontal and vertical resolution. The prognostic variables read from the file will be overwritten by the code in `suspecg2`. The orography is flat. There is no initial mean wind, only perturbation in the vorticity to break the symmetry. It may be possible to start from a real case to accelerate convergence towards a real climate, in which case there is no need to use the `NOISEVAR` variable. However, it can be tricky to keep the model stable at the start. The easiest approach is to start from no wind and run long enough (about a year) until the model reaches an equilibrium.

References

- Held I, Suarez M. 1994. [A proposal for the intercomparison of the dynamical cores of atmospheric general circulation models](#). Bull. Am. Meteorol. Soc. 73: 1825–1830.
- Wedi, N. P. and Smolarkiewicz, P. K., 2009, [A framework for testing global non-hydrostatic models](#). Q.J. R. Meteorol. Soc., 135: 469–484. doi:[10.1002/qj.377](#)

Acknowledgements

OpenIFS would like to thanks Aneesh Subramanian (University of Oxford) and Sylvie Malardel (ECMWF) for their contribution in preparing this material.